



METAL POINT® SHELVING

interlake
 MECALUX



The Metal Point® shelving is a boltless system and with its diversity can be easily adapted to any environment from a warehouse to your home.

The Metal Point® shelving has been developed following the latest standards of the FEM, in terms of design and testing, which ensures this system to be the best choice for small and large businesses.

Main Advantages

- **Easy to install.**
- The attractive design of this shelving is **adaptable** to any part of your business or home.



METAL POINT PLUS

Shelving for large size loads

Particle board panels for a maximum weight of 2112 lbs, uniformly distributed per load level.

Standard Colors for both

Upright


 RAL 5019

Beams

 RAL 2004

Components

- 1) Upright N UE
- 2) Particle board
- 3) Center support NSTS
- 4) Beam NLE/NCLE
- 5) Plastic feet P-50
- 6) Cross beam N FE



Bracket N UE

72"
84"
96"
120"
144"
192"
240"



Particle Board



Plastic Feet P-50



Tie Plates TE-1 N



Center Support NSTS

12"
15"
18"
24"
30"
36"
42"
48"



Cross Beam N FE

12"
15"
18"
24"
30"
36"
42"
48"



Beam NLE/ Beam NCLE

Beam NLE

48"
60"
72"
84"
96"

Beam NCLE

60"
72"
84"
96"

METAL POINT PLUS (continued)

Capacity Chart

For bays of 12", 18" and 24" deep.

Beam MP / Length		48"	60"	72"	84"	96"
		Lb	Lb	Lb	Lb	Lb
N LE	0 N STS	1870	1230	420	–	–
	1 N STS	2420	1940	990	400	250
	2 N STS	–	2000	1100	750	530
N CLE	0 N STS	2310	1760	1320	880	550
	1 N STS	2530	1980	1340	1320	1200
	2 N STS	–	2310	1540	1430	1280

For bays of 30", 36", 42" and 48" deep.

Beam MP / Length		48"	60"	72"	84"	96"
		Lb	Lb	Lb	Lb	Lb
N LE	0 N STS	1710	1230	440	–	–
	1 N STS	1810	1410	990	400	250
	2 N STS	–	1540	1100	450	530
N CLE	0 N STS	1870	1760	1290	830	440
	1 N STS	2030	1810	1590	1370	1100
	2 N STS	–	2310	1760	1540	1280

Load table for a bay of Metal Point® Plus:

N° LEVELS		POST M/P N UE/84"		POST M/P N UE/96"		POST M/P N UE120"		POST M/P N UE144"	
		Capacity per level		Capacity per level		Capacity per level		Capacity per level	
3	LB	2310	6930	2290	6870	–	–	–	–
4	LB	2150	8600	2140	8560	1280	5120	1190	4760
5	LB	1870	9350	1850	9250	1210	6050	1120	5600
6	LB	1650	9900	1650	9900	1100	6600	1060	6360
7	LB	–	–	1430	10010	1060	7420	990	6930
8	LB	–	–	1100	8800	920	7360	900	7200
9	LB	–	–	–	–	880	7920	860	7740
10	LB	–	–	–	–	–	–	840	8400

METAL POINT 2

Shelving for medium size loads

Particle board panels for a maximum weight of 1,102 Lbs., uniformly distributed per load level.

Standard Colors for both

Upright

 RAL 5019

Beams

 RAL 2004


Capacity Chart

Using 5/8" thick particle board.

DEPTH	LENGTH			
	24"	36"	42"	48"
	Lb	Lb	Lb	Lb
12"	470	340	270	250
15"	550	390	310	280
18"	700	450	350	290
24"	780	490	400	320

Load table for a bay of Metal Point® 2:


N° LEVELS	POST M/P LUR/84"		POST M/P LUR/96"		POST M/P LUR/120"	
	Capacity per level		Capacity per level		Capacity per level	
	Lb	Lb	Lb	Lb	Lb	Lb
3	660	1980	440	1320	—	—
4	950	3800	670	2680	460	1840
5	1050	5250	830	4150	580	2900
6	1070	6420	870	5220	690	4140
7	—	—	860	6020	750	5250
8	—	—	830	6640	750	6000
9	—	—	—	—	710	6390



Tie Plates TE-2




Plastic Feet P-33



Beige Chipboard PAC/PAM

Particle board Panel
5/8" Thick



Upright LUR

72"
84"
96"
120"
144"



Cross Beam LPE

12"	36"
15"	42"
18"	48"
24"	60"



Beam LPE

12"	36"
15"	42"
18"	48"
24"	60"

Components

- 8) Beam LPE
- 9) Upright LUR
- 10) Plastic feet P-33
- 11) Beige particle board panel 5/8"
- 12) Cross Tie LPE



Easy to install

You simply require a rubber mallet to build the shelving unit.

The assembly of all the components is carried out effortlessly.



Applications

Work Benches and Work Stations



Shelving for office and storage area



Vertical Storage



Cart on Wheels



Tire Rack



Garment Rack



Office Storage





e-mail: info@interlakemecalux.com | www.interlakemecalux.com | 1.877.632.2589

Sales Offices

Chicago
1600 N. 25th Ave.
Melrose Park, IL 60160
708-344-9999

Dallas
1520 Selene Drive
Carrollton, TX 75006

San Diego
8607 Ave de la Fuente
San Diego, CA 92154

Production Plants

Chicago
1600 N. 25th Ave.
Melrose Park, IL 60160

Matamoros
Las Rusias 2700,
Industrial del Norte
CP 87470 Matamoros,
Tamps, Mexico

Tijuana
Blvd. Bellas Artes #9001
Ciudad Industrial
Tijuana, Baja California,
MX 22500

Pontiac
701 Interlake Drive
Pontiac, IL 61764

Sumter
1925 Corporate Way
Sumter, SC 29154

Offices Worldwide

Argentina, Belgium, Brazil, Canada, Chile, Czech Republic, France, Germany, Italy, Mexico, Panama, Peru,
Poland, Portugal, Spain, Turkey, United Kingdom, USA, Uruguay



The contents in this document refer exclusively to Interlake Mecalux products and are for informational and promotional purposes only. The information contained herein does not form the basis for warranty or guarantee. Interlake Mecalux reserves the right to modify without prior notice the data, figures, products and finishes in the catalog.